























What do we call it?	What is it?	What does it look like?
Ehubo2 / ELD	A secure GPS electronic distance recorder unit which can be installed in vehicles and which connects to our servers.	
EROAD Clarity Dashcam	<p>Clarity Dashcam provides the option of both driver facing and outward facing video footage. Audio recording is also an available feature. The Dashcam may collect, use, and store biometric information if the inward facing capability is enabled. Data is retained for a default period of 18 months, but this is configurable by customers, with retention options ranging from 3 to 36 months.</p> <p>EROAD's Clarity Dashcam can be used for driver coaching and to demonstrate fault in the event of an incident or near miss.</p>	
EROAD Clarity Edge	<p>Clarity Edge is an in- vehicle video solution powered by Artificial Intelligence (AI). The camera can capture both inward and outward-facing video footage, and uses AI to identify unsafe driving behaviours. The outward-facing AI camera focuses on advanced driver assistance systems, including tailgating alerts, forward collision or near-miss warnings, and proximity alerts. The inward-facing, driver-focused camera monitors behaviours such as distraction, yawning, mobile phone usage, smoking, unfastened seatbelts, and covered camera lenses.</p> <p>This system collects, uses,</p>	

	<p>processes and stores biometric information as part of its driver behaviour monitoring capabilities. Audio recording is also an available feature.</p> <p>Data is retained for a default period of 18 months, but this is configurable by customers, with retention options ranging from 3 to 36 months.</p> <p>Clarity Edge requires an EHUBO or CoreHub device.</p>	
	<p>Clarity Edge can be supported by an optional, inward facing auxiliary fatigue camera. This fatigue camera also utilises AI to detect biometric indicators such as frequent blinking, continuous eye closure, distraction, and yawning.</p>	
Ehubo1	<p>An electronic distance recorder for vehicles over 3.5tonnes. It measures distance travelled and captures location, route and operational data from the vehicle</p>	
Tubo	<p>A distance recorder device for heavy trailers</p>	
EROAD e-Track Wired Asset Tracker	<p>Designed to track powered assets and equipment</p>	

EROAD Driver ID	EROAD's Driver identification unit available for our first- generation in-vehicle devices to help Customers identify who is driving their vehicles	
Elocate	Elocate is a tracking solution for vehicles and machinery not requiring road user charges functionality	
EROAD Where	EROAD Where is an asset tracking solution for smaller, low-cost assets, such as trailers, waste bins, freight cages, construction and trade equipment.	
ETrack G70	A robust GPS tracker that connects to vehicles, trailers or heavy equipment for accurate real-time tracking as well as odometer readings and run hour monitoring.	
ETrack Oyster 3	A rugged GPS tracking device, designed for monitoring non-powered assets where long battery life is required, without sacrificing the frequency of updates and performance.	

EROAD Mobile Applications	EROAD's applications for a mobile device, including for vehicle inspection and hours of service.	
MyEROAD	An online platform available via secure websites including at my.eroad.com, my.eroad.co.nz and my.eroad.com.au by which data received from our devices is processed by our servers and made available to Customers, End Users and Drivers to be viewed, saved and exported or downloaded.	
Electronic Logbook	Provides real-time access to drivers' logbook information on a mobile app and web-based platform.	
Payment Gateway	Payment Gateway is a service we provide to our Customers by filing and paying their road taxes and regulatory charges (including road user charges, weight-mile tax and IFTA obligations).	

Corehub	COREHUB is an IOT platform for digital supply chain assurance. Plug and play for easy and affordable installation, CoreHub connects directly with the vehicle diagnostics port and works wirelessly with sensors over Bluetooth Low Energy.	 CORETEX  COREHUB
Corevision Dashcam	CoreVision Dashcam captures footage when triggered by an event e.g. harsh braking, swerving, speeding. It comes with options of front facing camera lens or a dual option that also has a lens to face the driver. It sends data to CoreHub and onto the cloud.	 CORETEX  COREVISION DASHCAM
Corevision AI	CoreVision AI recognises fatigue and hazards in real time to avoid accidents. It provides driver facing video and recognises facial patterns and alerts drivers who are fatigued or distracted. It can be fitted to any camera unit and works in daylight and at night.	 CORETEX  COREVISION AI
Corehub Xtreme	Corehub Xtreme New generation rugged IOT platform for refrigeration and dry van and non-powered asset monitoring. Compatible with Carrier and ThermoKing refrigerated microprocessors	
Sensors	There are a variety of sensors that sit across the construction, refrigerated transport, and waste and recycling verticals, including:	 CORETEX  SENSORS

	<div>Drum rotation (Cement mixer)</div> <div>Lift Arm (Waste)</div> <div>Inclination sensor</div> <div>IOT tag</div> <div>Washout sensor</div> <div>Water Meter</div> <div>PSI</div> <div>Hydraulic Temperature</div> <div>Fuel Sensor Ultrasonic and Optical</div> <div>Door Sensor (tethered and wireless)</div> <div>Temperature sensor</div> <div>Humidity sensor</div> <div>Core PLC to measure ABS brakes and tire inflation activation</div> <div>Solar panels</div>																					
Coretemp	<div>The future of cold chain assurance.</div> <div>CoreTemp is revolutionizing product temperature and delivery compliance throughout the refrigerated goods supply chain.</div> <div>CoreTemp uses intelligent mathematical algorithms to predict the core temperature of your products with incredible accuracy - all in real-time.</div>	 <table><tr><th>Facility</th><th>Inbound Summary</th><th>Warehouse Zone Temperatures</th><th>Outbound Summary</th></tr><tr><td>Washington Facility ABC001</td><td>11 Inbound 7 Inbound 3 Inbound</td><td>Warehouse Temp 41°F 37°F Actual Temp Warehouse Temp 41°F -3°F Actual Temp Warehouse Temp 41°F 35°F Actual Temp</td><td>0 Inbound 4 Inbound 20 Inbound</td></tr><tr><td>Facility 03 XYZ002</td><td>3 Inbound 2 Inbound 0 Inbound</td><td>Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 37°F Actual Temp</td><td>1 Inbound 6 Inbound 12 Inbound</td></tr><tr><td>Seattle Facility DEF003</td><td>6 Inbound 1 Inbound 1 Inbound</td><td>Warehouse Temp 41°F 41°F Actual Temp Warehouse Temp 41°F -1°F Actual Temp Warehouse Temp 41°F 39°F Actual Temp</td><td>0 Inbound 2 Inbound 15 Inbound</td></tr><tr><td>Houston Facility GHI004</td><td>13 Inbound 9 Inbound 2 Inbound 0 Inbound</td><td>Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 30°F Actual Temp</td><td>1 Inbound 6 Inbound 9 Inbound</td></tr></table>	Facility	Inbound Summary	Warehouse Zone Temperatures	Outbound Summary	Washington Facility ABC001	11 Inbound 7 Inbound 3 Inbound	Warehouse Temp 41°F 37°F Actual Temp Warehouse Temp 41°F -3°F Actual Temp Warehouse Temp 41°F 35°F Actual Temp	0 Inbound 4 Inbound 20 Inbound	Facility 03 XYZ002	3 Inbound 2 Inbound 0 Inbound	Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 37°F Actual Temp	1 Inbound 6 Inbound 12 Inbound	Seattle Facility DEF003	6 Inbound 1 Inbound 1 Inbound	Warehouse Temp 41°F 41°F Actual Temp Warehouse Temp 41°F -1°F Actual Temp Warehouse Temp 41°F 39°F Actual Temp	0 Inbound 2 Inbound 15 Inbound	Houston Facility GHI004	13 Inbound 9 Inbound 2 Inbound 0 Inbound	Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 30°F Actual Temp	1 Inbound 6 Inbound 9 Inbound
Facility	Inbound Summary	Warehouse Zone Temperatures	Outbound Summary																			
Washington Facility ABC001	11 Inbound 7 Inbound 3 Inbound	Warehouse Temp 41°F 37°F Actual Temp Warehouse Temp 41°F -3°F Actual Temp Warehouse Temp 41°F 35°F Actual Temp	0 Inbound 4 Inbound 20 Inbound																			
Facility 03 XYZ002	3 Inbound 2 Inbound 0 Inbound	Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 37°F Actual Temp	1 Inbound 6 Inbound 12 Inbound																			
Seattle Facility DEF003	6 Inbound 1 Inbound 1 Inbound	Warehouse Temp 41°F 41°F Actual Temp Warehouse Temp 41°F -1°F Actual Temp Warehouse Temp 41°F 39°F Actual Temp	0 Inbound 2 Inbound 15 Inbound																			
Houston Facility GHI004	13 Inbound 9 Inbound 2 Inbound 0 Inbound	Warehouse Temp 41°F 40°F Actual Temp Warehouse Temp 41°F -2°F Actual Temp Warehouse Temp 41°F 30°F Actual Temp	1 Inbound 6 Inbound 9 Inbound																			

Zello	<p>Provides a digital two way digital radio interface integrated into the Ready Mix Dispatch system and the CoreDrive application</p> <p>Dynamic channels between drivers and Jobs</p>	
CoreRFID	<p>Captures wireless RFID tag info during lift arm events on Waste and Recycling collection trucks</p>	
Waste	<p>Wireless Lift Arm sensor</p>	